

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 11-046217

(43)Date of publication of application : 16.02.1999

(51)Int.Cl.

H04L 12/56

H04L 1/16

H04L 12/28

H04L 29/08

(21)Application number : 09-201992

(71)Applicant : NIPPON TELEGR & TELEPH CORP  
<NTT>

(22)Date of filing : 28.07.1997


(72)Inventor : KAYAMA HIDETOSHI  
YAMAMOTO HIROYUKI  
TAKANASHI HITOSHI

## (54) RADIO PACKET RE-TRANSMISSION METHOD

### (57)Abstract:

**PROBLEM TO BE SOLVED:** To prevent an identical packet from being transmitted for a plurality of number of times by aborting wasteful packets at a subordinate layer and not transmitting them, while detecting re-transmission data packets at a host layer or taking a re-transmission timer of the host layer into account.

**SOLUTION:** A data packet A3-8 of TCP/IP3-3 is divided into a plurality of radio packets on an LLC layer 3-4 and sent for a radio block 3-5, which are then received by a logical link control LLC 3-6 of a radio station #2 and handed over to the TCP/IP layer 3-7. In the case of transferring a data packet B3-12, a transferred packet B-3 among radio packets divided on the LLC layer 3-4 has become re-transmitted due to an error. After re-transmission is repeated twice, a TCP/IP3-3 re-transmission timer expires, and the packet 3-15 is resent. At this time, the radio packets resent on the LLC layer are aborted and the radio packet 3-16 is sent again. Then the packet is received and assembled by the LLC3-6 of the radio station #2 and is handed over to the TCP/IP3-7.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]